



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/676,814	09/30/2003	Denise R. Barbut	161,700-088	3074
34263	7590	06/18/2007	EXAMINER	
O'MELVENY & MYERS LLP			STIGELL, THEODORE J	
610 NEWPORT CENTER DRIVE				
17TH FLOOR			ART UNIT	PAPER NUMBER
NEWPORT BEACH, CA 92660				3763
			MAIL DATE	DELIVERY MODE
			06/18/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/676,814	BARBUT, DENISE R.
	<b>Examiner</b>	<b>Art Unit</b>
	Theodore J. Stigell	3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

1) Responsive to communication(s) filed on 16 March 2007.

2a) This action is **FINAL**.                    2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

4) Claim(s) 1,3-11 and 13-20 is/are pending in the application.

4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.

5) Claim(s) \_\_\_\_\_ is/are allowed.

6) Claim(s) 1,3-11 and 13-20 is/are rejected.

7) Claim(s) \_\_\_\_\_ is/are objected to.

8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on \_\_\_\_\_ is/are: a) accepted or b) objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All    b) Some \* c) None of:  
 1. Certified copies of the priority documents have been received.  
 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

1) Notice of References Cited (PTO-892)  
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  
 3) Information Disclosure Statement(s) (PTO/SB/08)  
 Paper No(s)/Mail Date 3/16/2007, 5/4/2007

4) Interview Summary (PTO-413)  
 Paper No(s)/Mail Date. \_\_\_\_\_

5) Notice of Informal Patent Application

6) Other: \_\_\_\_\_

## DETAILED ACTION

### ***Response to Amendment***

### ***Claim Objections***

Claims 9 and 19 are objected to because of the following informalities: The claims should recite contacting the lesion with the instrument. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 3-11, and 13-20 are rejected under 35 U.S.C. 102(e) as being anticipated by Zadno-Azizi (WO 98/38930). See Figure 18 and the respective portions of the specification. Zadno discloses a method of protection against stroke comprising the steps of inserting a distal end of a catheter (406) into a carotid artery, locating a first expandable balloon (408) within a common carotid artery (404) proximal a lesion (not numbered) in an internal carotid artery (400), locating a second expandable balloon (430) within an external carotid artery (402), expanding the first expandable balloon to occlude the common carotid artery, expanding the second expandable member to at least partially obstruct the carotid artery thereby abolishing antegrade blood flow in the

internal carotid artery, wherein the blood flow proximal of the balloon (422) is reversed to flow over the lesion and toward the common carotid artery, performing an angioplasty procedure on the lumen that can include aspiration and stenting (claim 13), wherein the blood flow in the internal carotid artery is revered (by occluding or aspiration) to pass over the lesion and toward the CCA, wherein the second balloon can be expanded before the first, wherein the second balloon is expanded to occlude the ECA, and wherein the distal end of the catheter carries the first and second balloons.

***Double Patenting***

The Double Patenting rejections have been withdrawn in light of the terminal disclaimer filed 3/16/2007 and approved 4/5/2007.

***Response to Arguments***

Applicant's arguments filed 3/16/2007 have been fully considered but they are not persuasive. In response to the Applicant's argument that Zadno-Azizi does not teach reversing blood flow in the internal carotid artery, the Examiner respectfully disagrees. Aspiration is performed through the main catheter (406) to reverse the blood flow in between the first balloon (408) and the second balloon (422).

***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US 6,423,032 to Parodi  
US 6,540,712 to Parodi et al.  
US 6,582,396 to Parodi

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theodore J. Stigell whose telephone number is 571-272-8759. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

*Theodore J. Stigell*  
Theodore J. Stigell

*Ulrich*

NICHOLAS D. LUCCHESI  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700